
## Amtico Commercial Flooring Solutions





	Contents	
	Introduction	4
	LVT	
	Woods	6
	Parquet	22
	Stones	24
	Stripping	36
	Carpet	
	Colour Anchor	38
	Support	
	Product Availability	40
	Sustainability	42
	Contacts	46



## What's important to you is important to us.

Introducing Express collections from Amtico.

A carefully curated selection of Amtico Spacia and Colour Anchor Carpet designs, in versatile colours and sizes to meet the needs of your commercial flooring projects.

Amtico Express combines the design originality and high-quality durability and performance that sets our flooring products apart. All backed by 10 year commercial warranties and the peace of mind that comes with specifying a leading brand.

As Amtico's Express collections are fully stocked here in Australia, we're able to offer short and convenient lead times, ready to meet your deadline.

Speak to your Amtico sales representative for samples or to find out more.

amtico.com/express







#### 7



**Cool Woods** 

White Oak



White Ash ☒ SS5W2540



Weathered Oak SS5W2524

## Overheads





SS5W2548



#### Available tile sizes:

7.25" x 48"/ 184.2 x 1219.2 mm









**Cool Woods** 



Nordic Oak

SS5W2550

Bruges Oak SS5W3034


## Overheads





#### Available tile sizes:

7.25" x 48" / 184.2 x 1219.2 mm









**Neutral Woods** 







Hampton Oak SS5W3031

SS5W2535

## Overheads

Bleached Elm







#### Available tile sizes:

7.25" x 48" / 184.2 x 1219.2mm















Sun Bleached Oak

SS5W2531

Noble Oak





Rustic Limed Oak

SS5W2650

Dusky Walnut

#### SS5W2542

## Overheads







#### Available tile sizes:

7.25" x 48" / 184.2 x 1219.2mm



SS5W2549









Warm Woods



Collection: Spacia

Eden Oak

SS5W1010

Limed Wood Natural



White Maple

SS5W2654

## Overheads







#### Available tile sizes:

7.25" x 48" / 184 x 1219.2mm



SS5W2504







Warm Woods



Pale Ash

SS5W2518

Honey Oak



Traditional Oak

SS5W2514

## Overheads







#### Available tile sizes:

7.25" x 48" / 184 x 1219.2mm















Exotic Walnut

**Rich Woods** 

SS5W2541

Warm Walnut

SS5W2543

## Overheads





#### Available tile sizes:

7.25" x 48" / 184.2 x 1219.2 mm









Ember Oak

CCEV

Spiced Timber

ced Timber SS5W232

## Overheads





#### Available tile sizes:

7.25" x 48" / 184.2 x 1219.2mm











Collection: Spacia

White Ash SS5W2540

Traditional Oak SS5W2514

## Overheads


**Parquet** 





#### Available tile sizes:

3" x 9" / 76.2 x 228.6mm





## **Pale Stones**



Collection: Spacia









Limestone Cool

Sift Stone Canvas

Dry Stone Alba

## Overheads







#### Available tile sizes:





SS5S4607



**Pale Stones** 



Desert Sandstone

SS5S3592



Overheads

Ceramic Ecru





#### Available tile sizes:

18" x 18" / 457.2 x 457.2mm (Ceramic Ecru)







THE

MILITAN

PART III

J III











Ceramic Light

SS5S1565

Plaza Concrete


Ceramic Dark


SS5S3566



## Overheads







#### Available tile sizes:











**Cool Stones** 





Monmouth Slate

SS5S7501

Pale Grey Slate

Wave Slate Black

SS5S2627

## Overheads







Available tile sizes:





## **Neutral Stones**



Collection: Spacia









Monument Concrete



Metropolis Smoke

#### Overheads







#### Available tile sizes:









**Neutral Stones** 





Ceramic Sable

SS5S3593

Ceramic Coal

## Overheads







#### Available tile sizes:

18" x 18" / 457.2 x 457.2mm





Ceramic Sable, Concrete Pale Stripping - Herringbone Tile

## **Feature Stripping**

Add contrast, create a grout effect or define tile and plank shapes with Amtico stripping. All stripping is available to order.

Feature stripping is available in the following sizes: 2mm thickness\*

3.2 mm x 914.4 mm

6.4 mm x 914.4 mm

9.5 mm x 914.4 mm

12.7 mm x 914.4 mm

19.1 mm x 914.4 mm


Sizes shown are not actual size

Cirrus Air	AR0W8100	Concrete Pale	AROSCN30
Mirabelle Creme	AROSMB14	Pure Plain Black	AR0APN22
Silver	AROAMP38	Stria Volcanic	AROSMS42
American Oak	AR0W7050	Fused Birch	AR0W7500
Wenge Wood	AR0W7490	Wild Walnut	AR0W7620
Stria Sediment	AROSMS14	Stria Basalt	AROSMS43
Shimmer Denim	AROASE39	Gold	AROAMP78
Bronze	AROAMP18	Pure Plain White	AROAPN11

## **Spacia Performance**

#### **Trusted Experts**

With over 50 years expertise in every floor, you can be sure that at every step of the Amtico process are trusted experts with specialist knowledge and industry experience. We're proud to say our LVT achieves up to a level 5 P rating on a wet pendulum test when assessed by an independent test house.



<sup>\*</sup>Sizes shown are not actual size





**Colour Anchor** 





Island

YCCOANT35651

Liquorice

YCCOANT15528

Tinker YCCOANT14527







#### Available tile sizes:

24" x 24" / 609.6 x 609.6mm



Straight Grain Planks

## **Product Availability: Wood**

				3	
Product Name	Palette	Product Code	Surface Finish	7.25" x 48" / 184.2 x 1219.2 mm	3" × 9" / 76.2 × 228.6 mm
Bleached Elm	Neutral	SS5W2516	Tick	•	
Bruges Oak	Cool	SS5W3034	Barnwood	•	
Dry Cedar	Neutral	SS5W2535	Barnwood	•	
Dusky Walnut	Neutral	SS5W2542	Tick	•	
Eden Oak	Warm	SS5W1010	Tick	•	
Ember Oak	Dark	SS5W2512	Natural Grain	•	
Exotic Walnut	Rich	SS5W2541	Tick	•	
Featured Oak	Neutral	SS5W2533	Tick/Barnwood	•	
Hampton Oak	Neutral	SS5W3031	Tick	•	
Honey Oak	Warm	SS5W2504	Tick/Barnwood	•	
Limed Wood Natural	Warm	SS5W2549	Tick	•	
Noble Oak	Neutral	SS5W3030	Tick	•	
Nordic Oak	Cool	SS5W2550	Tick/Barnwood	•	
Pale Ash	Warm	SS5W2518	Tick	•	
Rustic Limed Wood	Neutral	SS5W2650	Tick	•	
Spiced Timber	Dark	SS5W2322	Barnwood	•	
Sun Bleached Oak	Neutral	SS5W2531	Barnwood	•	
Traditional Oak	Warm	SS5W2514	Tick/Barnwood	•	•
Warm Walnut	Rich	SS5W2543	Tick	•	
Weathered Oak	Cool	SS5W2524	Barnwood	•	
White Ash	Cool	SS5W2540	Barnwood	•	•
White Maple	Warm	SS5W2654	Tick	•	
White Oak	Cool	SS5W2548	Tick	•	

Where two embosses are shown, the first shown is the default emboss

## **Product Availability: Stone**

				Straight Grain Tiles	
Product Name	Palette	Product Code	Surface Finish	18" × 18" / 457.2 × 457.2 mm	12" x 18" / 304.8 x 457.2 mm
Century Concrete	Neutral	SS5S3069	Ceramic	•	
Ceramic Coal	Neutral	SS5S4422	Ceramic	•	
Ceramic Dark	Cool	SS5S3566	Ceramic	•	
Ceramic Ecru	Pale	SS5S3592	Ceramic	•	
Ceramic Flint	Neutral	SS5S2594	Ceramic	•	
Ceramic Frost	Cool	SS5S1591	Ceramic	•	
Ceramic Light	Cool	SS5S1565	Ceramic	•	

				Straight Grain Tiles	
Product Name	Palette	Product Code	Surface Finish	18" x 18" / 457.2 x 457.2 mm	12" × 18" / 304.8 × 457.2 mm
Ceramic Sable	Neutral	SS5S3593	Ceramic	•	
Desert Sandstone	Pale	SS5S4607	Ceramic		•
Dry Stone Alba	Pale	SS5S4401	Deep Ceramic	•	
Limestone Cool	Pale	SS5S1561	Ceramic	•	
Metropolis Ice	Neutral	SS5A2617	Ceramic	•	
Metropolis Smoke	Neutral	SS5A2627	Ceramic	•	
Monmouth Slate	Cool	SS5S7501	Riven	•	
Monument Concrete	Neutral	SS5S3072	Ceramic	•	
Pale Grey Slate	Cool	SS5S3601	Riven	•	
Plaza Concrete	Cool	SS5S3070	Ceramic	•	
Sift Stone Canvas	Pale	SS5S6133	Deep Ceramic	•	
Wave Slate Black	Cool	SS5S2602	Riven	•	

## Packaging Information

	Xtra 184.2 x 1219.2 mm (7.25" x 48")	304.8 x 457.2 mm (12" x 18")	457.2 x 457.2 mm (18" x 18")	3"×9"/76.2×228.6 mm
Plank/Tile per Box	9	18	12	144
m² per Box	2.0	2.50	2.50	2.50
Weight (kg) per Box	7.1	8.8	9.06	9.06
Boxes per Pallet	90	72	72	72
m² per Pallet	180.0	180.0	180.0	180.0
Weight (kg) per Pallet	664.06	656.35	675.07	675.07

Make an impact, but not on the environment.

We're committed to environmental responsibility and Amtico LVT is a low-level environmental impact product.



## CONTINUOUS IMPROVEMENT

Through our innovation culture, we focus on:

- Designing out waste from the very start of the process.
- Ensuring our floors do not contribute to poor air quality in buildings by keeping their VOC emissions low.
- Working to ensure that product safety is paramount by insisting our PVC resin has low vinyl chloride monomer content.
- Maximising the lifetime of our products, to ensure that our products offer a long-term solution for our customers. As a result we are able to offer some of the longest warranties in the flooring industry.





BREEAM accreditation achieved for Amtico Signature, Spacia, Marine and Assura.



Recognised around the globe, our BSI accreditation represents the latest and highest standard of environmental impact awareness, operational control and use of materials.





#### PRE-PRODUCTION

We have a sustainable supply chain, customer audited ethical trading policy and commitment to using phthalate free products, recycled glass beads and bio-based plasticiser.

#### **PRODUCTION**

Spacia LVT is manufactured using 30% recycled waste content and our energy, water, waste, ecology and emissions have been independently verified and contribute to the attainment of the BRE Global Green Guide online A+ classification. Almost all production waste is recycled back into product and Amtico sends zero waste to landfill.


#### WELLBEING

We pay attention to our health and working conditions, offer support and services to all colleagues to keep ourselves healthy and aware of our wellbeing.



#### POST-PRODUCTION

All our packaging can be recycled and almost 100% of our internal packaging is reused or recycled. Any flooring we can't reprocess is supplied for other PVC use and our direct delivery service reduces our carbon footprint.



#### **LEADING STANDARDS**

Our Environmental Management System is ISO 14001:2015 certified. We're dedicated to raising environmental awareness across suppliers and contractors and support local environmental projects.



#### **POLICY**

We set ourselves tough targets to meet environmental commitments through an Environmental Policy, taking care to protect ourselves and our neighbours.



# For samples please contact your local Amtico representative.

Alternatively for more information, or to view the complete Amtico flooring offer, please visit **amtico.com** 

Accreditations

Our ethos is to combine creativity and innovation with the highest levels of quality – design, manufacturing, product and service.

UKAS PRODUCT CHRISTIAN OUT	The Amtico Spacia range is verified and certified as A+ on the BRE Global Green Guide Online for use in retail, domestic, education, commercial, healthcare, industrial, hospitality and leisure sectors.	<u><b>QB</b></u> UPEC	Amtico Spacia products have received the mark of quality issued by the CSTB (French Standards organisation) and have been UPEC classified, therefore conforming to local French legislation.
Z-156.603-519	Amtico Spacia products comply with German building regulations as certified by DIBt.	EN 14041  CK/AI/002	The CE mark is a confirmation by Amtico that our products are in compliance with European health, safety and environmental requirements (as required by Council Directive 89/106/EEC and detailed in EN 14041).
F <b>B</b> B	Amtico is a member of the professional association for flexible floor covering manufacturers in Germany.	DGNB' Destrict Good shall fit studied good flasen 6.5 Gentral instatile fitching Good	Amtico International GmbH is a member of the DGNB German Sustainable Building Council.
ESC 9691 UKAS JAMES AND THE PROPERTY OF THE PR	Our quality system complies with BS EN ISO 9001 and is certified by LRQA.	bsi ISO ISO Environmental Management	Recognised around the globe, our BSI accreditation represents the latest and highest standard of environmental impact awareness, operational control and use of materials.
floor score	Amtico Spacia products are third party certified for low-VOC emissions contributing towards good indoor air quality.		SOLS PVC Pro is the French professional organisation of PVC flooring manufacturers; standing for their shared values
	Amtico Spacia products are	PVC Next	and commitments related to environment, comfort, regulation and communication.

Amtico International partenaire de Sols Pvc PRO



#### Warranty

All Amtico Spacia products come with an Amtico commercial product warranty against wear-out. For full details, visit **amtico.com** 

manufactured using both phthalate

free and bio-based plasticisers except for recycled content.

#### Amtico Australia

PO Box 752 Jimboomba QLD 4280 Australia +61 (0) 477708418 australia.orders@amtico.com

#### Michael Hammond

Sales Manager Victoria, South Australia & Tasmania michael.hammond@amtico.com +61 (0) 428 600 076

#### Mark Taylor

Sales Director mark.taylor@amtico.com +61 (0) 477 708 418

#### Wayne Schofield

Sales Manager, NSW wayne.schofield@amtico.com +61 (0) 499 091 049

#### Simon Small

Account Manager, QLD simon.small@amtico.com +61(0) 400 584 735

#### amtico.com

Visit amtico.com for more information on our product range, inspiring ideas, maintenance and installation advice. Every effort is made to achieve accurate reproduction of products in this brochure, however printing limitations can be misleading. Selection of products should be made from actual samples. Samples are small pieces cut from standard tiles. They give only a general indication of the design. Tone and shading can vary slightly from batch to batch and it is not possible to guarantee that the sample will exactly match the material supplied. The policy of the Company is one of continuous development and improvement and the right is reserved to add or delete from the range or change patterns without prior notification. All metric sizes are rounded. All products are manufactured in line with EN649, EN ISO 10582 and EN1307. Brochure correct at the time of printing. Our website is regularly updated with the most up to date information.

