

# Material Safety Data Sheet

infosafe  
CS: 1.7.2

Page: 1 of 3

Infosafe No™ 2RL2C Issue Date : March 2015 ISSUED by RLA

Product Name **GS220 GREEN SOLUTIONS PREMIUM WALL AND SHEET VINYL ADHESIVE**

Not classified as hazardous

## 1. IDENTIFICATION OF THE MATERIAL AND SUPPLIER

**Product Name** GS220 GREEN SOLUTIONS PREMIUM WALL AND SHEET VINYL ADHESIVE  
**Product Code** GS220  
**Company Name** RLA POLYMERS PTY. LTD. (ABN 004 709 915)  
**Address** 215 COLCHESTER ROAD KILSYTH  
VIC. 3137 Australia  
**Emergency Tel.** AH 13 15 18  
**Telephone/Fax Number** Tel: (03) 9728 1644  
Fax: (03) 9728 6009  
**Recommended Use** For securing a range of wall and floor coverings.  
**Other Information** This MSDS summarises to the best of our knowledge the health and safety hazard information of the product and how to safely handle and use the product in the workplace.

## 2. HAZARDS IDENTIFICATION

**Hazard Classification** Not classified as hazardous  
Not classified as hazardous according to NOHSC (National Occupational Health & Safety Commission).

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

**Chemical Characterization Information on Composition** Liquid  
Modified acrylic co-polymer emulsion.

<b>Ingredients</b>	<b>Name</b>	<b>CAS</b>	<b>Proportion</b>	<b>Hazard Symbol</b>	<b>Risk Phrase</b>
	Non Hazardous ingredients	Proprietary	90-100 %		

## 4. FIRST AID MEASURES

**Inhalation** Remove victim from exposure - avoid becoming a casualty. Recovery should be rapid after removal from exposure. Seek medical advice if effects persist.  
**Ingestion** Do not induce vomiting. Rinse mouth thoroughly with water immediately. Give plenty of water to drink. Seek immediate medical assistance.  
**Skin** Wash affected areas with copious quantities of water immediately. If irritation occurs seek medical advice. Remove contaminated clothing and wash before re-use.  
**Eye** Immediately irrigate with copious quantity of water for at least 15 minutes. Eyelids to be held open. Seek medical advice if effects persist.  
**Advice to Doctor** Treat symptomatically.

## 5. FIRE FIGHTING MEASURES

**Hazards from Combustion Products** Product residue, following evaporation of liquid content will burn in the presence of an ignition source.  
**Specific Methods** Use CO2, dry chemical or foam. Fire fighters to wear self-contained breathing apparatus if risk of exposure to products of decomposition.  
**Specific Hazards** Low hazard

## 6. ACCIDENTAL RELEASE MEASURES

**Spills & Disposal** Contain - prevent contamination of drains and waterways. Use absorbent (soil or sand, sawdust, inert material, vermiculite). Clean up using a shovel. Dispose of in normal industrial waste bin.

## 7. HANDLING AND STORAGE

**Conditions for Safe Storage** Store in a cool, dry place. No special precautions required. Store in original containers. Ensure containers are clearly labelled. Transport in original containers.

# Material Safety Data Sheet

infosafe  
CS: 1.7.2

Page: 2 of 3

Infosafe No™ 2RL2C Issue Date : March 2015 ISSUED by RLA

Product Name **GS220 GREEN SOLUTIONS PREMIUM WALL AND SHEET VINYL ADHESIVE**

Not classified as hazardous

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

**Other Exposure Information** Product contains small quantities of acrylate monomers which may cause some discomfort in confined spaces or other poorly-ventilated areas during handling and use.

**Engineering Controls** Use with adequate ventilation. Local exhaust ventilation system may be required.

**Body Protection** Wearing of the following personal protective equipment may be advisable. Overalls or similar protective apparel. Chemically resistant gloves. Boots. Always work in a well ventilated area. Avoid skin and eye contact.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

**Form** Liquid

**Appearance** Cream coloured viscous liquid.

**Melting Point** Not applicable.

**Boiling Point** Initial boiling point: Approx. 100 Degs.C.

**Solubility in Water** Miscible

**Specific Gravity** Approx. 1.20

**pH Value** Approx. 8.0

**Vapour Pressure** Not available.

**Physical State** Viscous liquid.

**Viscosity** Approx. 90,000 cps.

**Colour** Cream.

**Flash Point** Not applicable.

**Flammability** Non flammable. Product residue, following evaporation of liquid content will burn in the presence of an ignition source.

**Auto-Ignition Temperature** Not applicable.

**Flammable Limits - Lower** Not applicable.

**Flammable Limits - Upper** Not applicable.

**Other Information** VOC (Volatile Organic Compound) content: < 50 grams/litre

## 10. STABILITY AND REACTIVITY

**Stability and Reactivity** Stable under normal handling and storage conditions.

## 11. TOXICOLOGICAL INFORMATION

**Inhalation** Practically non-harmful by inhalation. Possible allergic reactions. May cause irritation to the nose and throat. Not normally an inhalation risk due to low vapour pressure at ambient temperatures.

**Ingestion** Practically non-harmful. May cause gastric irritation.

**Skin** Repeated or prolonged skin contact may lead to irritation.

**Eye** A mild eye irritant. May cause watering of eyes.

**Chronic Effects** Not applicable.

## 12. ECOLOGICAL INFORMATION

**Information on Ecological Effects** Avoid contaminating waterways.

## 13. DISPOSAL CONSIDERATIONS

# Material Safety Data Sheet

infosafe  
CS: 1.7.2

Page: 3 of 3

Infosafe No™ 2RL2C                      Issue Date : March 2015                      ISSUED by RLA

Product Name **GS220 GREEN SOLUTIONS PREMIUM WALL AND SHEET VINYL ADHESIVE**

Not classified as hazardous

**Disposal Considerations**                      Dispose of in accordance with local regulations.

## 14. TRANSPORT INFORMATION

**Transport Information**                      Not classified as Dangerous Goods, according to the Australian Code for the Transport of Dangerous Goods by Road and Rail.

## 15. REGULATORY INFORMATION

**Poisons Schedule**                      Not Scheduled

## 16. OTHER INFORMATION

**Contact Person/Point**                      In Australia: RLA Polymers Pty Ltd. - Group Operations Manager: 03 9728 1644 (Business Hours)

For emergency information outside normal business hours, please ring:  
SECURITY MONITORING 1300 136102  
They will contact the relevant personnel.

The information herein is given in good faith, but subject to the Trade Practices Act 1974, no warranty, expressed or implied, is made.  
RL207

**Last Change**                      Last revised: 4/3/15

...End Of MSDS...

© Copyright ACOHS Pty Ltd

Copyright in the source code of the HTML, PDF, XML, XFO and any other electronic files rendered by an Infosafe system for Infosafe MSDS displayed is the intellectual property of Acohs Pty Ltd.

Copyright in the layout, presentation and appearance of each Infosafe MSDS displayed is the intellectual property of Acohs Pty Ltd.  
The compilation of MSDS's displayed is the intellectual property of Acohs Pty Ltd.

Copying of any MSDS displayed is permitted for personal use only and otherwise is not permitted. In particular the MSDS's displayed cannot be copied for the purpose of sale or licence or for inclusion as part of a collection of MSDS without the express written consent of Acohs Pty Ltd.